



## CERTIFICATE OF ANALYSIS

Client	: ERM HONG KONG	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 7
Contact	: MS KAREN LUI	Contact	: Wong Wai Man, Alice	Work Order	: HK0816458
Address	: 21/F, LINCOLN HOUSE, 979 KING`S ROAD, TAIKOO PLACE, ISLAND EAST, QUARRY BAY, HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: Karen.Lui@erm.com	E-mail	: Alice.Wong@alsenviro.com		
Telephone	: +852 2271 3000	Telephone	: +852 2610 1044		
Facsimile	: +852 2723 5660	Facsimile	: +852 2610 2021		
Project	: EM&A FOR THE PERMANENT AVIATION FUEL FACILITY	Quote number	: ----	Date Samples Received	: 08-OCT-2008
Order number	: ----			Issue Date	: 22-OCT-2008
C-O-C number	: ----			No. of samples received	: 18
Site	: ----			No. of samples analysed	: 18

### General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for processing purposes. If the sampling time is displayed as 0:00 the information was not provided by client. The completion date of analysis is: 13-OCT-2008

Key: LOR = Limit of reporting; CAS Number = Chemistry Abstract Services number

Specific comments for Work Order: **HK0816458**

**Sample(s) were picked up from client by ALS Technichem (HK) staff in a chilled condition.**

**Water sample(s) analysed and reported on an as received basis.**

**This report may not be reproduced except with prior written approval from the testing laboratory.**

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

*Signatories*

Anh Ngoc Huynh

*Position*

Senior Chemist

*Authorised results for*

Organics

**ALS Laboratory Group**

Trading Name: **ALS Technichem (HK) Pty Ltd**

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



### Analytical Results

Sub-Matrix: WATER

Client sample ID

Client sampling date / time

Compound	CAS Number	LOR	Unit	MPB1 ME	MPB1 ME DUP	MPB2 ME	MPB2 ME DUP	MP ME
				[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]
				HK0816458-001	HK0816458-002	HK0816458-003	HK0816458-004	HK0816458-005
<b>EP-065A: PCB Single Congeners</b>								
PCB 8	34883-43-7	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 18	37680-65-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 28	7012-37-5	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 52	35693-99-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 44	41464-39-5	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 66	32598-10-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 101	37680-73-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 77	32598-13-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 149	38380-04-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 118	31508-00-6	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 153	35065-27-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 105	32598-14-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 138	35065-28-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 126	57465-28-8	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 187	52663-68-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 128	38380-07-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 156	38380-08-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 180	35065-29-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 169	60044-26-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 170	35065-30-6	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 195	52663-78-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP-065B: Organochlorine Pesticides</b>								
4,4'-DDT	50-29-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
4,4'-DDE	72-55-9	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
4,4'-DDD	72-54-8	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP-065S: PCB Congeners and Organochlorine Pesticides Surrogate</b>						Surrogate control limits listed at end of this report.		
Decachlorobiphenyl	2051-24-3	0.1	%	101	87.8	93.8	101	97.9



Sub-Matrix: WATER				Client sample ID	MP ME DUP	C2 (NM5) ME	C2 (NM5) ME DUP	MPB1 MF	MPB1 MF DUP
Client sampling date / time				[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	
Compound	CAS Number	LOR	Unit	HK0816458-006	HK0816458-007	HK0816458-008	HK0816458-009	HK0816458-010	
<b>EP-065A: PCB Single Congeners</b>									
PCB 8	34883-43-7	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 18	37680-65-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 28	7012-37-5	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 52	35693-99-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 44	41464-39-5	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 66	32598-10-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 101	37680-73-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 77	32598-13-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 149	38380-04-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 118	31508-00-6	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 153	35065-27-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 105	32598-14-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 138	35065-28-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 126	57465-28-8	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 187	52663-68-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 128	38380-07-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 156	38380-08-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 180	35065-29-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 169	60044-26-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 170	35065-30-6	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PCB 195	52663-78-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
<b>EP-065B: Organochlorine Pesticides</b>									
4,4'-DDT	50-29-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
4,4'-DDE	72-55-9	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
4,4'-DDD	72-54-8	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
<b>EP-065S: PCB Congeners and Organochlorine Pesticides Surrogate</b>							Surrogate control limits listed at end of this report.		
Decachlorobiphenyl	2051-24-3	0.1	%	83.9	99.4	69.2	59.8	70.5	



Sub-Matrix: WATER				Client sample ID	MPB2 MF	MPB2 MF DUP	MP MF	MP MF DUP	C1 (NM3) MF
Client sampling date / time				[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]
Compound	CAS Number	LOR	Unit	HK0816458-011	HK0816458-012	HK0816458-013	HK0816458-014	HK0816458-015	
<b>EP-065A: PCB Single Congeners</b>									
PCB 8	34883-43-7	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 18	37680-65-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 28	7012-37-5	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 52	35693-99-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 44	41464-39-5	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 66	32598-10-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 101	37680-73-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 77	32598-13-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 149	38380-04-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 118	31508-00-6	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 153	35065-27-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 105	32598-14-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 138	35065-28-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 126	57465-28-8	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 187	52663-68-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 128	38380-07-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 156	38380-08-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 180	35065-29-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 169	60044-26-0	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 170	35065-30-6	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PCB 195	52663-78-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP-065B: Organochlorine Pesticides</b>									
4,4'-DDT	50-29-3	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
4,4'-DDE	72-55-9	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
4,4'-DDD	72-54-8	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP-065S: PCB Congeners and Organochlorine Pesticides Surrogate</b>								Surrogate control limits listed at end of this report.	
Decachlorobiphenyl	2051-24-3	0.1	%	94.7	92.0	110	87.3	106	



Sub-Matrix: WATER				Client sample ID	C1 (NM3) MF DUP	C3 (NM6) MF	C3 (NM6) MF DUP		
				Client sampling date / time	[08-OCT-2008]	[08-OCT-2008]	[08-OCT-2008]		
Compound	CAS Number	LOR	Unit	HK0816458-016	HK0816458-017	HK0816458-018			
<b>EP-065A: PCB Single Congeners</b>									
PCB 8	34883-43-7	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 18	37680-65-2	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 28	7012-37-5	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 52	35693-99-3	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 44	41464-39-5	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 66	32598-10-0	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 101	37680-73-2	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 77	32598-13-3	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 149	38380-04-0	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 118	31508-00-6	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 153	35065-27-1	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 105	32598-14-4	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 138	35065-28-2	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 126	57465-28-8	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 187	52663-68-0	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 128	38380-07-3	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 156	38380-08-4	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 180	35065-29-3	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 169	60044-26-0	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 170	35065-30-6	0.01	µg/L	<0.01	<0.01	<0.01			
PCB 195	52663-78-2	0.01	µg/L	<0.01	<0.01	<0.01			
<b>EP-065B: Organochlorine Pesticides</b>									
4,4'-DDT	50-29-3	0.01	µg/L	<0.01	<0.01	<0.01			
4,4'-DDE	72-55-9	0.01	µg/L	<0.01	<0.01	<0.01			
4,4'-DDD	72-54-8	0.01	µg/L	<0.01	<0.01	<0.01			
<b>EP-065S: PCB Congeners and Organochlorine Pesticides Surrogate</b>								Surrogate control limits listed at end of this report.	
Decachlorobiphenyl	2051-24-3	0.1	%	104	90.7	92.4			



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EP-065A: PCB Single Congeners (QC Lot: 780455)</b>								
HK0816458-001	MPB1 ME	PCB 8	34883-43-7	0.01	µg/L	<0.01	<0.01	0.0
		PCB 18	37680-65-2	0.01	µg/L	<0.01	<0.01	0.0
		PCB 28	7012-37-5	0.01	µg/L	<0.01	<0.01	0.0
		PCB 52	35693-99-3	0.01	µg/L	<0.01	<0.01	0.0
		PCB 44	41464-39-5	0.01	µg/L	<0.01	<0.01	0.0
		PCB 66	32598-10-0	0.01	µg/L	<0.01	<0.01	0.0
		PCB 101	37680-73-2	0.01	µg/L	<0.01	<0.01	0.0
		PCB 77	32598-13-3	0.01	µg/L	<0.01	<0.01	0.0
		PCB 149	38380-04-0	0.01	µg/L	<0.01	<0.01	0.0
		PCB 118	31508-00-6	0.01	µg/L	<0.01	<0.01	0.0
		PCB 153	35065-27-1	0.01	µg/L	<0.01	<0.01	0.0
		PCB 105	32598-14-4	0.01	µg/L	<0.01	<0.01	0.0
		PCB 138	35065-28-2	0.01	µg/L	<0.01	<0.01	0.0
		PCB 126	57465-28-8	0.01	µg/L	<0.01	<0.01	0.0
		PCB 187	52663-68-0	0.01	µg/L	<0.01	<0.01	0.0
		PCB 128	38380-07-3	0.01	µg/L	<0.01	<0.01	0.0
		PCB 156	38380-08-4	0.01	µg/L	<0.01	<0.01	0.0
		PCB 180	35065-29-3	0.01	µg/L	<0.01	<0.01	0.0
		PCB 169	60044-26-0	0.01	µg/L	<0.01	<0.01	0.0
PCB 170	35065-30-6	0.01	µg/L	<0.01	<0.01	0.0		
PCB 195	52663-78-2	0.01	µg/L	<0.01	<0.01	0.0		
<b>EP-065B: Organochlorine Pesticides (QC Lot: 780455)</b>								
HK0816458-001	MPB1 ME	4.4'-DDT	50-29-3	0.01	µg/L	<0.01	<0.01	0.0
		4.4'-DDE	72-55-9	0.01	µg/L	<0.01	<0.01	0.0
		4.4'-DDD	72-54-8	0.01	µg/L	<0.01	<0.01	0.0

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentratio	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EP-065A: PCB Single Congeners (QC Lot: 780455)</b>											
PCB 8	34883-43-7	0.01	µg/L	<0.01	100 µg/L	87.8	----	50	130	----	----
PCB 18	37680-65-2	0.01	µg/L	<0.01	100 µg/L	92.5	----	50	130	----	----
PCB 28	7012-37-5	0.01	µg/L	<0.01	100 µg/L	104	----	50	130	----	----
PCB 52	35693-99-3	0.01	µg/L	<0.01	100 µg/L	106	----	50	130	----	----
PCB 44	41464-39-5	0.01	µg/L	<0.01	100 µg/L	106	----	50	130	----	----
PCB 66	32598-10-0	0.01	µg/L	<0.01	100 µg/L	103	----	50	130	----	----
PCB 101	37680-73-2	0.01	µg/L	<0.01	100 µg/L	104	----	50	130	----	----



Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EP-065A: PCB Single Congeners (QC Lot: 780455) - Continued</b>											
PCB 77	32598-13-3	0.01	µg/L	<0.01	100 µg/L	101	----	50	130	----	----
PCB 149	38380-04-0	0.01	µg/L	<0.01	100 µg/L	105	----	50	130	----	----
PCB 118	31508-00-6	0.01	µg/L	<0.01	100 µg/L	104	----	50	130	----	----
PCB 153	35065-27-1	0.01	µg/L	<0.01	100 µg/L	106	----	50	130	----	----
PCB 105	32598-14-4	0.01	µg/L	<0.01	100 µg/L	104	----	50	130	----	----
PCB 138	35065-28-2	0.01	µg/L	<0.01	100 µg/L	107	----	50	130	----	----
PCB 126	57465-28-8	0.01	µg/L	<0.01	100 µg/L	106	----	50	130	----	----
PCB 187	52663-68-0	0.01	µg/L	<0.01	100 µg/L	103	----	50	130	----	----
PCB 128	38380-07-3	0.01	µg/L	<0.01	100 µg/L	108	----	50	130	----	----
PCB 156	38380-08-4	0.01	µg/L	<0.01	100 µg/L	106	----	50	130	----	----
PCB 180	35065-29-3	0.01	µg/L	<0.01	100 µg/L	110	----	50	130	----	----
PCB 169	60044-26-0	0.01	µg/L	<0.01	100 µg/L	113	----	50	130	----	----
PCB 170	35065-30-6	0.01	µg/L	<0.01	100 µg/L	113	----	50	130	----	----
PCB 195	52663-78-2	0.01	µg/L	<0.01	100 µg/L	115	----	50	130	----	----
<b>EP-065B: Organochlorine Pesticides (QC Lot: 780455)</b>											
4,4'-DDT	50-29-3	0.01	µg/L	<0.01	25 µg/L	# Not Determined	----	50	130	----	----
4,4'-DDE	72-55-9	0.01	µg/L	<0.01	25 µg/L	# Not Determined	----	50	130	----	----
4,4'-DDD	72-54-8	0.01	µg/L	<0.01	25 µg/L	# Not Determined	----	50	130	----	----

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**Surrogate Control Limits**

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP-065S: PCB Congeners and Organochlorine Pesticides Surrogate</b>			
Decachlorobiphenyl	2051-24-3	50	130



Environmental Division

**CERTIFICATE OF ANALYSIS**

**CONTACT:** MS KAREN LUI  
**CLIENT:** ERM HONG KONG  
**ADDRESS:** 21/F, LINCOLN HOUSE, 979 KING'S ROAD,  
TAIKOO PLACE, ISLAND EAST,  
QUARRY BAY, HONG KONG.  
**PROJECT:** EM&A FOR THE PERMANENT AVIATION FUEL FACILITY

**Batch:** HK0816458  
**LABORATORY:** HONG KONG  
**DATE RECEIVED:** 08/10/2008  
**DATE OF ISSUE:** 22/10/2008  
**SAMPLE TYPE:** WATER  
**No. of SAMPLES:** 18

**COMMENTS**

Sample(s) were collected by ALS Technichem (HK) staff on 08 October, 2008.  
Water sample(s) analysed and reported on an as received basis.  
PAHs were subcontracted and tested by ALS Sydney.  
ALS Sydney details report was attached. The attached report contains a total of 14 pages.

**Sample Details**

<b>ALS Lab ID</b>	<b>Sample ID</b>	<b>Date of Sampling</b>
HK0816458 - 1	MPB1_ME	08/10/2008
HK0816458 - 2	MPB1_ME DUP	08/10/2008
HK0816458 - 3	MPB2_ME	08/10/2008
HK0816458 - 4	MPB2_ME DUP	08/10/2008
HK0816458 - 5	MP_ME	08/10/2008
HK0816458 - 6	MP_ME DUP	08/10/2008
HK0816458 - 7	C2 (NM5)_ME	08/10/2008
HK0816458 - 8	C2 (NM5)_ME DUP	08/10/2008
HK0816458 - 9	MPB1_MF	08/10/2008
HK0816458 - 10	MPB1_MF DUP	08/10/2008
HK0816458 - 11	MPB2_MF	08/10/2008
HK0816458 - 12	MPB2_MF DUP	08/10/2008
HK0816458 - 13	MP_MF	08/10/2008
HK0816458 - 14	MP_MF DUP	08/10/2008
HK0816458 - 15	C1 (NM3)_MF	08/10/2008
HK0816458 - 16	C1 (NM3)_MF DUP	08/10/2008
HK0816458 - 17	C3 (NM6)_MF	08/10/2008
HK0816458 - 18	C3 (NM6)_MF DUP	08/10/2008

**ISSUING LABORATORY: HONG KONG**

**Address**  
ALS Technichem (HK) Pty Ltd  
11/F Chung Shun Knitting Centre  
1-3 Wing Yip Street  
Kwai Chung  
HONG KONG

**Phone:** 852-2610 1044  
**Fax:** 852-2610 2021  
**Email:** hongkong@alsenviro.com

  
Ms Wong Wai Man Alice  
Laboratory Manager Hong Kong

**Other ALS Environmental Laboratories**

<b>AUSTRALIA</b>	<b>AMERICAS</b>
Brisbane	Vancouver
Hong Kong	Santiago
Melbourne	Amtofagasta
Singapore	Lima
Sydney	
Newcastle	
Kuala Lumpur	
Bogor	

*This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.*

**Abbreviations:** % SPK REC denotes percentage spike recovery  
CHK denotes duplicate check sample  
LOR denotes limit of reporting  
LCS % REC denotes Laboratory Control Sample percentage recovery





Environmental Division

## CERTIFICATE OF ANALYSIS

Work Order	: ES0815064	Page	: 1 of 8
Client	: ALS TECHNICHEM (HK)	Laboratory	: Environmental Division Sydney
Contact	: MS ALICE WONG	Contact	: Charlie Pierce
Address	: 11/F CHUNG SHUN KNITTING CNTR 1-3 WING YIP STREET KWAI CHUNG, N.T HONG KONG HONG KONG	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
E-mail	: alice.wong@alsenviro.com	E-mail	: charlie.pierce@alsenviro.com
Telephone	: +852 001185226101044	Telephone	: +61-2-8784 8555
Facsimile	: +852 26102021	Facsimile	: +61-2-8784 8500
Project	: ----	QC Level	: NEPM 1999 Schedule B(3) and ALS QCS3 requirement
Order number	: ----	Date Samples Received	: 14-OCT-2008
C-O-C number	: ----	Issue Date	: 22-OCT-2008
Sampler	: ----	No. of samples received	: 18
Site	: ----	No. of samples analysed	: 18
Quote number	: SY/241/07		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits



WORLD RECOGNISED  
ACCREDITATION

NATA Accredited Laboratory 825

This document is issued in  
accordance with NATA  
accreditation requirements.

Accredited for compliance with  
ISO/IEC 17025.

### Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories

Alex Rossi

Position

Organic Chemist

Accreditation Category

Organics

Page : 3 of 8  
Work Order : ES0815064  
Client : ALS TECHNICHEM (HK)  
Project : ----



### General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for processing purposes. If the sampling time is displayed as 0:00 the information was not provided by client.

Key : CAS Number = Chemistry Abstract Services number  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting



**Analytical Results**

Sub-Matrix: WATER	Client sample ID	HK0816458-1	HK0816458-2	HK0816458-3	HK0816458-4	HK0816458-5
	Client sampling date / time	MPB1-ME	MPB1-ME DUP	MPB2-ME	MPB2-ME DUP	MP-ME
Compound	CAS Number	LDR	Unit	08-OCT-2008 15:00	08-OCT-2008 15:00	08-OCT-2008 15:00
				ES0815064-001	ES0815064-002	ES0815064-003
				ES0815064-004	ES0815064-005	
<b>EP132B: Polynuclear Aromatic Hydrocarbons</b>						
3-Methylcholanthrene	56-49-5	0.1	µg/L	<0.1	<0.1	<0.1
2-Methylnaphthalene	91-57-6	0.1	µg/L	<0.1	<0.1	<0.1
7,12-Dimethylbenz(a)anthracene	57-97-5	0.1	µg/L	<0.1	<0.1	<0.1
Acenaphthene	83-32-9	0.1	µg/L	<0.1	<0.1	<0.1
Acenaphthylene	208-96-8	0.1	µg/L	<0.1	<0.1	<0.1
Anthracene	120-12-7	0.1	µg/L	<0.1	<0.1	<0.1
Benz(a)anthracene	56-55-3	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(a)pyrene	50-32-6	0.05	µg/L	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	205-99-2	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(e)pyrene	192-97-2	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	191-24-2	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(k)fluoranthene	207-08-8	0.1	µg/L	<0.1	<0.1	<0.1
Chrysene	218-01-9	0.1	µg/L	<0.1	<0.1	<0.1
Coronene	191-07-1	0.1	µg/L	<0.1	<0.1	<0.1
Dibenz(a,h)anthracene	53-70-3	0.1	µg/L	<0.1	<0.1	<0.1
Fluoranthene	206-44-0	0.1	µg/L	<0.1	<0.1	<0.1
Fluorene	86-73-7	0.1	µg/L	<0.1	<0.1	<0.1
Indeno(1,2,3-cd)pyrene	193-39-5	0.1	µg/L	<0.1	<0.1	<0.1
N-2-Fluorenyl Acetamide	53-96-3	0.1	µg/L	<0.1	<0.1	<0.1
Naphthalene	91-20-3	0.1	µg/L	<0.1	<0.1	<0.1
Perylene	198-55-0	0.1	µg/L	<0.1	<0.1	<0.1
Phenanthrene	85-01-8	0.1	µg/L	<0.1	<0.1	<0.1
Pyrene	129-00-0	0.1	µg/L	<0.1	<0.1	<0.1
<b>EP132T: Base/Neutral Extractable Surrogates</b>						
2-Fluorobiphenyl	321-60-8	0.1	%	87.1	101	93.0
Anthracene-d10	1719-06-8	0.1	%	86.3	99.5	93.0
4-Terphenyl-d14	1718-51-0	0.1	%	78.3	96.1	91.4



**Analytical Results**

Sub-Matrix: WATER	Client sample ID	HK0816458-6	HK0816458-7	HK0816458-8	HK0816458-9	HK0816458-10		
	Client sampling date / time	MP-ME DUP	C2 (NM5)-ME	C2 (NM5)-ME DUP	MPB1-MF	MPB1-MF DUP		
Compound	CAS Number	LOW	Unit	08-OCT-2008 15:00	08-OCT-2008 15:00	08-OCT-2008 15:00		
				ES0815064-006	ES0815064-007	ES0815064-008		
						ES0815064-009		
						ES0815064-010		
<b>EP132B: Polynuclear Aromatic Hydrocarbons</b>								
3-Methylcholanthrene	58-49-5	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
2-Methylnaphthalene	91-57-6	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
7,12-Dimethylbenz(a)anthracene	57-97-8	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthene	83-32-9	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthylene	208-96-8	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Anthracene	120-12-7	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(a)anthracene	56-55-3	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(a)pyrene	50-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	205-99-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(e)pyrene	192-97-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	191-24-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(k)fluoranthene	207-08-9	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Chrysene	218-01-9	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Coronene	191-07-1	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Dibenz(a,h)anthracene	53-70-3	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Fluoranthene	206-44-0	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Fluorene	86-73-7	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Indeno(1,2,3-cd)pyrene	193-39-5	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
N-2-Fluorenyl Acetamide	53-86-3	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Naphthalene	91-20-3	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perylene	198-55-0	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Phenanthrene	85-01-8	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Pyrene	129-00-0	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP132T: Base/Neutral Extractable Surrogates</b>								
2-Fluorobiphenyl	321-60-8	0.1	%	98.8	95.8	96.0	96.4	96.1
Anthracene-d10	1719-06-8	0.1	%	96.3	98.6	102	96.2	98.9
4-Terphenyl-d14	1718-51-0	0.1	%	98.0	102	90.4	97.2	101



**Analytical Results**

Sub-Matrix: WATER

Compound	CAS Number	LOR	Unit	Client sample ID:	Client sampling date / time	ES0815064-011	ES0815064-012	ES0815064-013	ES0815064-014	ES0815064-015
				HK0816458-11 MPB2-MF 08-OCT-2008 15:00	HK0816458-12 MPB2-MF DUP 08-OCT-2008 15:00	HK0816458-13 MP-MF 08-OCT-2008 15:00	HK0816458-14 MP-MF DUP 08-OCT-2008 15:00	HK0816458-15 C1 (NM3)-MF 08-OCT-2008 15:00		
<b>EP132B: Polynuclear Aromatic Hydrocarbons</b>										
3-Methylcholanthrene	56-49-5	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
2-Methylnaphthalene	91-57-6	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
7,12-Dimethylbenz(a)anthracene	57-97-6	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthene	83-32-9	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthylene	208-96-8	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Anthracene	120-12-7	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Benz(a)anthracene	56-55-3	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(a)pyrene	50-32-8	0.05	µg/L			<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	205-99-2	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(e)pyrene	192-97-2	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	191-24-2	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(k)fluoranthene	207-08-9	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Chrysene	218-01-9	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Coronene	191-07-1	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Dibenz(a,h)anthracene	53-70-3	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Fluoranthene	206-44-0	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Fluorene	86-73-7	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Indeno(1,2,3-cd)pyrene	193-39-5	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
N-2-Fluorenyl Acetamide	53-96-3	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Naphthalene	91-20-3	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Perylene	198-55-0	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Phenanthrene	85-01-8	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
Pyrene	129-00-0	0.1	µg/L			<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP132T: Base/Neutral Extractable Surrogates</b>										
2-Fluorobiphenyl	321-60-8	0.1	%			88.4	91.1	98.0	97.9	106
Anthracene-d10	1719-06-8	0.1	%			90.2	93.8	103	100	108
4-Terphenyl-d14	1718-51-0	0.1	%			91.6	93.3	109	105	113



**Analytical Results**

Sub-Matrix: WATER	Client sample ID	HK0816458-16	HK0816458-17	HK0816458-18	---	---
	Client sampling date / time	C1 (NM3)-MF DUP	C3(NM6)-MF	C3(NM6)-MF DUP	---	---
Compound	CAS Number	LOR	Unit	ES0815064-016	ES0815064-017	ES0815064-018
<b>EP132B: Polynuclear Aromatic Hydrocarbons</b>						
3-Methylcholanthrene	56-49-5	0.1	µg/L	<0.1	<0.1	<0.1
2-Methylnaphthalene	91-57-6	0.1	µg/L	<0.1	<0.1	<0.1
7,12-Dimethylbenz(a)anthracene	57-97-6	0.1	µg/L	<0.1	<0.1	<0.1
Acenaphthene	83-32-9	0.1	µg/L	<0.1	<0.1	<0.1
Acenaphthylene	208-96-8	0.1	µg/L	<0.1	<0.1	<0.1
Anthracene	120-12-7	0.1	µg/L	<0.1	<0.1	<0.1
Benz(a)anthracene	56-55-3	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(a)pyrene	50-32-8	0.05	µg/L	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	205-99-2	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(e)pyrene	192-97-2	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	191-24-2	0.1	µg/L	<0.1	<0.1	<0.1
Benzo(k)fluoranthene	207-08-9	0.1	µg/L	<0.1	<0.1	<0.1
Chrysene	218-01-9	0.1	µg/L	<0.1	<0.1	<0.1
Coronene	191-07-1	0.1	µg/L	<0.1	<0.1	<0.1
Dibenz(a,h)anthracene	53-70-3	0.1	µg/L	<0.1	<0.1	<0.1
Fluoranthene	206-44-0	0.1	µg/L	<0.1	<0.1	<0.1
Fluorene	86-73-7	0.1	µg/L	<0.1	<0.1	<0.1
Indeno(1,2,3-cd)pyrene	183-39-5	0.1	µg/L	<0.1	<0.1	<0.1
N-2-Fluorenyl Acetamide	53-96-3	0.1	µg/L	<0.1	<0.1	<0.1
Naphthalene	91-20-3	0.1	µg/L	<0.1	<0.1	<0.1
Perylene	188-55-0	0.1	µg/L	<0.1	<0.1	<0.1
Phenanthrene	85-01-8	0.1	µg/L	<0.1	<0.1	<0.1
Pyrene	129-00-0	0.1	µg/L	<0.1	<0.1	<0.1
<b>EP132T: Base/Neutral Extractable Surrogates</b>						
2-Fluorobiphenyl	321-80-8	0.1	%	98.5	106	98.0
Anthracene-d10	1719-06-8	0.1	%	101	109	99.4
4-Terphenyl-d14	1718-51-0	0.1	%	109	118	105



### Surrogate Control Limits

Component	CAS Number	Recovery Limits (%)	
		Low	High
<b>EP132T: Base/Neutral Extractable Surrogates</b>			
2-Fluorobiphenyl	321-60-8	43	116
Anthracene-d10	1719-06-8	27	133
4-Terphenyl-d14	1718-51-0	33	141



Environmental Division

**QUALITY CONTROL REPORT**

Work Order	: <b>ES0815064</b>	Page	: 1 of 6
Client	: <b>ALS TECHNICHEM (HK)</b>	Laboratory	: Environmental Division Sydney
Contact	: MS ALICE WONG	Contact	: Charlie Pierce
Address	: 11/F CHUNG SHUN KNITTING CNTR 1-3 WING YIP STREET KWAI CHUNG, N.T HONG KONG HONG KONG	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
E-mail	: alice.wong@alsenviro.com	E-mail	: charlie.pierce@alsenviro.com
Telephone	: +852 001185226101044	Telephone	: +61-2-8784 8555
Facsimile	: +852 26102021	Facsimile	: +61-2-8784 8500
Project	: ----	QC Level	: NEPM 1999 Schedule B(3) and ALS QCS3 requirement
Site	: ----	Date Samples Received	: 14-OCT-2008
C-O-C number	: ----	Issue Date	: 22-OCT-2008
Sampler	: ----	No. of samples received	: 18
Order number	: ----	No. of samples analysed	: 18
Quote number	: SY/241/07		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited Laboratory 825

This document is issued in accordance with NATA accreditation requirements.

WORLD RECOGNISED  
**ACCREDITATION**

Accredited for compliance with ISO/IEC 17025.

*Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Organics



Page 2 of 6  
Work Order : ES0815064  
Client : ALS TECHNICHEM (HK)  
Project : ----



### General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :            Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
                  CAS Number = Chemistry Abstract Services number  
                  LOR = Limit of reporting  
                  RPD = Relative Percentage Difference  
                  # = Indicates failed QC



### Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: WATER

Method Component	CAS Number	LDR	Unit	Method Blank (MB)	Spike Concentration	Laboratory Control Spike (LCS) Report		
				Result		Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP132B: Polynuclear Aromatic Hydrocarbons (QCLot: 784266)</b>								
EP132: 3-Methylcholanthrene	56-45-5	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	96.5	65.8	121
EP132: 2-Methylnaphthalene	91-57-6	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	93.2	67.7	112
EP132: 7,12-Dimethylbenz(a)anthracene	57-97-6	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	83.7	11.6	146
EP132: Acenaphthene	83-32-9	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	85.3	73.2	111
EP132: Acenaphthylene	208-96-8	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	90.8	72.4	112
EP132: Anthracene	120-12-7	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	90.0	73.4	113
EP132: Benz(a)anthracene	56-55-3	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	89.0	73.6	114
EP132: Benzo(a)pyrene	50-32-8	0.05	µg/L	<0.05	2 µg/L	98.1	75.2	117
EP132: Benzo(b)fluoranthene	205-99-2	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	85.3	71.4	119
EP132: Benzo(e)pyrene	192-97-2	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	100	75.3	118
EP132: Benzo(g,h,i)perylene	191-24-2	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	93.2	66.6	121
EP132: Benzo(k)fluoranthene	207-08-9	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	108	74.8	118
EP132: Chrysene	218-01-9	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	86.5	69.6	120
EP132: Coronene	191-07-1	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	86.6	47.4	131
EP132: Dibenz(a,h)anthracene	53-70-3	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	96.2	71.5	117
EP132: Fluoranthene	206-44-0	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	93.3	74.8	117
EP132: Fluorene	86-73-7	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	86.5	72.9	114
EP132: Indeno(1,2,3-cd)pyrene	193-39-5	0.1	µg/L	<0.1	---	---	---	---
		0.10	µg/L	---	2 µg/L	95.2	67.8	119



Substrate: WATER

Method: Compound	CAS Number	LDR	Unit	Method Blank (MB)	Spike	Laboratory Control Spike (LCS) Report			
				Report		Spiked Concentration	Spike Recovery (%)	Recovery Limits (%)	
				Result		LCS	Low	High	
<b>EP132B: Polynuclear Aromatic Hydrocarbons (DCLot: 784266) - continued</b>									
EP132: N-2-Fluorenyl Acetamide	53-96-3	0.1	µg/L	<0.1	----	----	----	----	----
		0.10	µg/L	----	2 µg/L	85.2	53.6	131	
EP132: Naphthalene	91-20-3	0.1	µg/L	<0.1	----	----	----	----	----
		0.10	µg/L	----	2 µg/L	91.3	68.3	116	
EP132: Perylene	198-55-0	0.1	µg/L	<0.1	----	----	----	----	----
		0.10	µg/L	----	2 µg/L	97.3	68	122	
EP132: Phenanthrene	85-01-8	0.1	µg/L	<0.1	----	----	----	----	----
		0.10	µg/L	----	2 µg/L	91.4	74.8	112	
EP132: Pyrene	129-00-0	0.1	µg/L	<0.1	----	----	----	----	----
		0.10	µg/L	----	2 µg/L	88.8	75.1	117	