Annex C

Samples of Data Record Sheets

Noise Monitoring Field Record Sheet

Monitoring Locat	Monitoring Location:				
Description of Lo	cation:				
Date of Monitorin	g:				
Measurement Sta	rt Time (hh:mm):				
Measurement Tin	ne Length (min.):				
Noise Meter Mod	el/Identification:				
Calibrator Model	Identification:	4-2-4-4			
	L ₉₀ (dB(A)):				
Measurement Results	L_{10} (dB(A)):				
	Leq (dB(A)):				
Major Construction	on Noise Source(s) During Monitoring:				
Other Noise Source(s) During Monitoring:					
Remarks:					

	Name & Designation	Signature	Date		
Recorded By	•				
Checked By	:				

Data Sheet for TSP Monitoring

Monitoring Loca						
Details of Location:						
Commission Tales of Commis						
Sampler Identific						
Elapsed-time	Start (min.)					
Meter Reading	Stop (min.)					
	Total Sampling Time (min.):					
Weather Condition	ons:					
Site Conditions:						
Site Conditions:						
Initial Flow Rate, Qsi	Pi (mmHg):					
	Ti (°C):					
	Hi (in.):					
	Qsi (Std. m³):					
	Pf (mmHg):					
Final Flow	Tf (°C):					
Rate, Qsf	Hf (in.):					
	Qsf (Std. m ³):					
Average Flow R						
Total Volume (S						
Filter Identificati						
Initial Wt. of File						
Final Wt. of Filte						
Measured TSP Level (Φg/m³):						
		N. C. D. Y.	G: t	D-4-		
		Name & Designation	<u>Signature</u>	<u>Date</u>		
Field Operator	:	-				
Laboratory Staff	:	AND THE STATE OF T	***************************************			
Checked by	:	-				

Water Quality Monitoring Data Record Sheet

Location	and the second s			
Date				
Start Time	(hh:mm)			
Weather				
Sea Conditions				
Tidal Mode				
Water Depth	(m)			
Monitoring Depth		Surface	Middle	Bottom
Salinity				
Temperature	(°C)			
DO Saturation	(%)			
DO	(mg/l)			
Turbidity	(NTU)			
SS Sample Identification				
SS	(mg/l)			
Observed Construction Activities	<100m from location			
	>100m from location			
Other Observations				

Name & Designation	<u>Signature</u>	<u>Date</u>
--------------------	------------------	-------------

Recorded By:

Checked By:

Note: The SS results are to be filled in once they are available from the laboratory.